

Übersicht Quick-Fix DC / T5

Länge	Leuchtmittel	Lichtstrom	Quick-Fix DC	Länge	Lichtstrom	Leistung	Betriebsstrom	ON/OFF	DALI
500 mm	T5 14W 830	1250lm	5827-030120	500 mm	1610lm	10W	350mA	5136	6074
500 mm	T5 14W 840	1350lm	5820-040120	500 mm	1850lm	10W	350mA	5136	6074
500 mm	T5 24W 830	1900lm	5827-030120	500 mm	2300lm	15W	500mA	5136	6074
500 mm	T5 24W 840	2000lm	5820-040120	500 mm	2650lm	15W	500mA	5136	6074
820 mm	T5 21W 830	1950lm	5829-030120	820 mm	1650lm	10W	350mA	5136	6074
820 mm	T5 21W 840	2000lm	5823-140120	820 mm	1800lm	10W	350mA	5136	6074
820 mm	T5 39W 830	3500lm	5829-030120	820 mm	2290lm	14W	500mA	5136	6074
820 mm	T5 39W 840	3600lm	5823-140120	820 mm	3200lm	14W	500mA	5136	6074
1130 mm	T5 28W 830	2600lm	5831-030120	1130 mm	2600lm	15W	350mA	5136	6074
1130 mm	T5 28W 840	2700lm	5824-040120	1130 mm	2800lm	15W	350mA	5136	6074
1130 mm	T5 54W 830	4700lm	5831-030120	1130 mm	3680lm	22W	500mA	5136	6074
1130 mm	T5 54W 840	4900lm	5824-040120	1130 mm	4450lm	22W	500mA	5136	6074
1430 mm	T5 35W 830	3300lm	5833-030120	1430 mm	3650lm	22W	800mA	5043	5047
1430 mm	T5 35W 840	3400lm	5825-040120	1430 mm	4000lm	22W	800mA	5043	5047
1430 mm	T5 80W 830	6000lm	5833-030120	1430 mm	6190lm	39W	1400mA	5043	5047
1430 mm	T5 80W 840	6200lm	5825-040120	1430 mm	6700lm	39W	1400mA	5043	5047


Übersicht Quick-Fix DC / T8

Länge	Leuchtmittel	Lichtstrom	Quick-Fix DC	Länge	Lichtstrom	Leistung	Betriebsstrom	ON/OFF	DALI
500 mm	T8 18W 830	1350lm	5827-030120	500 mm	1610lm	10W	350mA	5136	6074
500 mm	T8 18W 840	1450lm	5820-040120	500 mm	1850lm	10W	350mA	5136	6074
1130 mm	T8 36W 830	1450lm	5831-030120	1130 mm	3680lm	22W	500mA	5136	6074
1130 mm	T8 36W 840	1450lm	5824-040120	1130 mm	4450lm	22W	500mA	5136	6074
1430 mm	T8 58W 830	1450lm	5833-030120	1430 mm	6190lm	39W	1400mA	5043	5047
1430 mm	T8 58W 840	1450lm	5825-040120	1430 mm	6700lm	39W	1400mA	5043	5047

Anschlussschema Quick-Fix DC / ON/OFF


Art. Nr. 5136

5 - 25W, 150 - 500mA



Art. Nr. 5043


15 - 50W, 350 - 1400mA




Anschlussschema Quick-Fix DC / DALI

Art. Nr. 5047

6 - 50W,350 / 1400mA



Brücke/Bridge $R = 0 \Omega = 1400 \text{ mA}$



Offen/Open $R = \infty \Omega = 350 \text{ mA}$

Art. Nr. 6074

2 - 50W,350 - 1050mA

